



Jiangling Insulated Truck RWD 2WD Cargo Van 6×2 Manual / Automatic 3 Seater

Basic Information

Place of Origin: ChinaBrand Name: Fushunt

Model Number: Jiangling Insulated Box Cargo Transport

Truck Diesel 3-Seater RWD 2WD 6×2

Manual/Automatic

• Minimum Order Quantity: 1 vehicle

Price: 150000-170000 dollar
Packaging Details: Complete vehicle
Delivery Time: 5-8 work days

• Payment Terms: T/T

• Supply Ability: 1000 vehicle



Product Specification

• Product Name: Insulated Truck

Refrigeration System: YesSecurity System: YesVentilation: Yes

• Highlight: Jiangling Insulated Truck, Insulated Truck RWD,

RWD 2WD Cargo Van



More Images





Product Description

Jiangling Insulated Box Cargo Transport Truck Diesel 3-Seater RWD 2WD 6x2 Manual/Automatic

A cargo insulated box truck is a type of commercial vehicle specifically designed for transporting goods that require temperature control.

These trucks are equipped with an insulated cargo compartment designed to provide thermal insulation and maintain a specific temperature range for the goods. The insulation material used is typically a high-efficiency insulating material such as polystyrene foam or polyurethane foam, which effectively reduces heat transfer.

Cargo insulated box trucks come in various sizes and configurations to accommodate different cargo capacities and transportation needs. They can range from small vans and delivery trucks to medium-duty and heavy-duty trucks. The size and design depend on the volume of goods and specific requirements of the industry.

To maintain the desired temperature, these trucks are typically equipped with a refrigeration or heating system. The refrigeration system utilizes a refrigerant cycle to lower the temperature inside the cargo compartment and ensure that the goods remain in a chilled or frozen state. The heating system provides heat to maintain the required temperature range for transporting goods that need to be kept warm.

The cargo compartments of these trucks are often equipped with doors and sealing mechanisms to ensure good insulation and sealing. This helps to minimize the entry of external heat or cold air and reduce temperature fluctuations.

In addition to temperature control, cargo insulated box trucks often have additional features to enhance the safety and convenience of transporting goods. This may include cargo securing devices to ensure the stability of the goods during transportation, as well as interior lighting and ventilation systems within the cargo compartment.

| | wen as interior lighting | | mo within the earge |
|--|--|---|-----------------------------|
| Main technical parameters of Jiangling van truck | | | |
| Dimensions: | 6995×2530×3435(mm) | - | 5075×2450×2200 (mm) |
| Total mass: | 9910(Kg) | Load capacity utilization factor: | 1.10,1.03 |
| Overall weight: | 4720,4890(Kg) | Rated contained mass: | 4995,4825(Kg) |
| Trailer quality: | (Kg) | Semi-hung saddle: | |
| Cab: | | Front seat passenger: | 3(people) |
| Rated passenger capacity: | (people) | Anti-lock braking system: | have |
| Approach / departure angle: | 22/14(°) | Front suspension/rear suspension: | 1155/2025(mm) |
| Axle load: | 3520/6390 | Wheelbase: | 3815(mm) |
| Number of axes: | 2 | Maximum speed: | 110(km/h) |
| Fuel consumption: | 16.5,16.4(L/100Km) | Number of spring leaves: | 10/9+9,10/4+3, |
| Number of tires: | 6(pieces) | Tire specifications: | 8.25R16LT 16PR |
| Front track: | 1680,1700(mm) | Rear wheelbase: | 1640,1800(mm) |
| Steering Type: | steering wheel | Starting method: | |
| 机参数 | | | |
| engine model: | Engine manufacturer | Displacement (ml) | Power (kw)/horsepower (PS): |
| F3.8NS6B156 | Beijing Foton Cummins Engine Co., Ltd. | 3800 | 115/156 |
| D40TCIF3 | Kunming Yunnei Power Co., Ltd. | 4052 | 120/163 |
| Vehicle fuel par | ameters | | |
| Fuel type: | diesel fuel | According to the standard: | GB3847-2005, Country VI |
| Chassis emission standards | National VI | | |











F5T Sichuan Fushunte Automobile Co., Ltd.



