



RWD 2WD 6×2 Fire Rescue Trucks Foton Water Tank Fire Truck Diesel

Our Product Introduction

for more products please visit us on vehicle-automobile.com

Basic Information

- Place of Origin: China
- Brand Name: Fushunt
- Model Number: Foton Water Tank Fire Truck Diesel RWD 2WD 6×2 Manual Transmission 5 Seats
- Minimum Order Quantity: 1 vehicle
- Price: \$50,000-\$60,000Dollar
- Packaging Details: Complete vehicle
- Delivery Time: 5-8 work days
- Payment Terms: T/T
- Supply Ability: 1000 vehicle



Product Specification

- Brakes: High Performance
- Capacity: High
- Communication: Advanced
- Engine: Powerful
- Fuel: Diesel
- Hose: High Pressure
- Ladder: Extendable
- Lighting: High Intensity
- Size: Large
- Speed: High
- Storage: Large
- Suspension: Stable
- Tires: Heavy Duty
- Type: Fire Rescue Trucks
- Wheels: 4



More Images



Product Description

Foton Water Tank Fire Truck Diesel RWD 2WD 6×2 Manual Transmission 5 Seats

A water tank fire truck, also known as a water tanker fire truck or water tender, is a specialized firefighting vehicle designed to transport and deliver large quantities of water to the scene of a fire. It is an essential asset for firefighting operations, particularly in areas with limited water supply or where access to water sources is challenging.

The key feature of a water tank fire truck is its large water storage capacity. It is equipped with a dedicated water tank, usually made of durable materials such as steel or polypropylene, capable of holding thousands of gallons of water. The tank is specifically designed to withstand the rigors of firefighting operations and is often baffled or partitioned to ensure stability during transportation.

The water tank fire truck is typically mounted on a heavy-duty chassis, such as a truck or a specialized firefighting vehicle chassis. The chassis provides the necessary power and stability to carry the weight of the water tank and other firefighting equipment.

In addition to the water tank, the fire truck is equipped with various firefighting apparatus and tools. This may include pumps, hoses, nozzles, and water cannons. The pumps are responsible for pressurizing the water and delivering it to the fire scene. Hoses and nozzles are used to direct the water flow, while water cannons can deliver high volumes of water over long distances.

Water tank fire trucks may also feature additional equipment, such as foam tanks and foam proportioning systems. Foam is often used in firefighting operations to suppress flammable liquid fires or provide enhanced fire extinguishing capabilities. These trucks may also be equipped with equipment for refilling their water tanks, such as suction hoses or hydrant connections.

The design and specifications of water tank fire trucks can vary based on the specific requirements of firefighting agencies and the region they serve. Some trucks may have additional compartments or storage areas for carrying firefighting gear, rescue equipment, or medical supplies.

In summary, a water tank fire truck is a specialized firefighting vehicle designed to transport and deliver large volumes of water to combat fires. It features a dedicated water tank, firefighting apparatus, and other equipment necessary for firefighting operations. These trucks play a critical role in firefighting efforts, ensuring an adequate water supply to extinguish fires and protect lives and property.

Vehicle technical parameters

Product trademark		Announcement batch	360
product name	water tank fire truck	Product number	
Total mass(Kg)	13590	Tank volume (m3)	5.890
Rated load mass (Kg)	5890	Overall dimensions (mm)	7745x2450x3280
Curb weight (Kg)	7250	Cargo compartment size (mm)	xx
Rated passenger capacity (person)		Total mass of quasi-trailer (Kg)	
Approach angle/departure angle (°)	19/13	Front suspension/rear suspension (mm)	1230/2215
Axle load(Kg)	4590/9000	Maximum speed (Km/h)	90
Remark	The tank volume is 5.890 cubic meters. The tank is a special-shaped tank. The dimensions of the front part are: 1090×1150×1330mm. The dimensions of the rear part are: 1440×2350×1330mm. Integrated side protection structure. Material of the rear protection device: Q235A. Cross-section. Dimensions (width Special equipment includes fire pumps and fire cannons.		

Chassis technical parameters

Chassis model	BJ1144VKPFD-02	Chassis brand	Futian brand
manufacturer	Beiqi Foton Motor Co., Ltd.	Production address	
Number of axes	2	Number of tires	6
Wheelbase	4300,4500,3800		
Tire specifications	8.25R20 16PR,9.00R20 16PR		
Number of leaf springs	8/10+6,4/10+6		

Front wheelbase (mm)	1775	Rear wheelbase (mm)	1800,1775,1815
Fuel type	diesel fuel	Emission standards	GB17691-2018 Country VI
engine model	Engine manufacturer	Displacement (ml)	Power(Kw)
WP4.1NQ190E61	Weichai Power Co., Ltd.	4088	140





Sichuan Fushunte Automobile Co., Ltd.



+8613568891631



609965408@qq.com



vehicle-automobile.com

No. 15, Wuxing 4th Road, Wuhou District, Chengdu City