



Isuzu double-row 5-seater cargo truck 2WD rear drive 4x2 diesel manual transmission

Our Product Introduction

for more products please visit us on vehicle-automobile.com

Basic Information

- Place of Origin: China
- Brand Name: Isuzu
- Model Number: Isuzu double-row 5-seater cargo truck 2WD rear drive 4x2 diesel manual transmission
- Minimum Order Quantity: 1 vehicle
- Price: \$19,000-\$20,000Dollar
- Packaging Details: Complete vehicle
- Delivery Time: 5-8 work days
- Payment Terms: T/T
- Supply Ability: 1000 vehicle




Product Specification

- Highlight: Isuzu 2WD cargo truck, Isuzu 4x2 cargo truck



More Images



Our Product

Product Description

Paragraph 1: Definition and Purpose

A dual-purpose transport vehicle, also known as an engineering vehicle, is a versatile vehicle designed for both passenger transportation and cargo hauling. It is commonly used in construction sites, mines, airports, and tourist areas for passenger shuttling, cargo transportation, and other engineering operations.

Paragraph 2: Body and Structure

The dual-purpose transport vehicle is designed to meet the requirements of both passenger comfort and cargo transportation. It typically features a spacious driver's cabin and passenger compartment to accommodate passengers and provide a comfortable riding experience. Additionally, it is equipped with a cargo bed or container for loading goods, with a certain load

capacity and adaptability.

Paragraph 3: Multi-functional Configurations and Equipment

Dual-purpose transport vehicles are often equipped with multi-functional configurations and equipment to meet various engineering needs. For example, they may include adjustable seats, air conditioning systems, audio equipment, and comfortable interiors to provide a pleasant passenger experience. Additionally, they may be equipped with lifting devices, excavation attachments, and tipping mechanisms to cater to different engineering tasks.

Paragraph 4: Powertrain System and Performance

Dual-purpose transport vehicles are typically equipped with powerful powertrain systems to ensure sufficient power and performance. They may utilize diesel engines or other high-power sources to meet the demands of carrying passengers and cargo. Moreover, they often have high torque output and good off-road capabilities to adapt to challenging engineering environments.

Paragraph 5: Safety and Convenience Features

Dual-purpose transport vehicles are often equipped with various safety and convenience features to enhance the safety and comfort of the driver and passengers. These features may include safety airbags, anti-lock braking systems, reverse parking sensors, and navigation systems. Additionally, they may have convenient doors and boarding platforms to facilitate passenger boarding and cargo loading/unloading.

Summary: A dual-purpose transport vehicle is a versatile vehicle that serves both passenger transportation and cargo hauling purposes. It combines a spacious and comfortable driver's cabin and passenger compartment with a cargo bed or container for loading goods. Equipped with a powerful powertrain system and various safety and convenience features, dual-purpose transport vehicles are suitable for diverse engineering environments. They provide passenger comfort and convenience while meeting the requirements of cargo transportation and engineering operations.

| | | |
|------------------------------|---|---|
| 序号 | product name: | Lorry |
| Vehicle technical parameters | | |
| 1 | Car body dimensions (length × width × height) mm: | 5950×1940×2350 |
| 2 | engine manufacturer | Isuzu Power Co., Ltd. |
| 3 | Wheelbase mm: | 3360 |
| 4 | Vehicle fully loaded total mass kg: | 4490 |
| 5 | Vehicle curb weight kg: | 2565 |
| 6 | suspension system | Front suspension leaf spring non-independent suspension, |
| 7 | Cargo compartment size mm: | Rear suspension leaf spring non-independent suspension |
| 8 | Front overhang/rear overhang mm | 3245×1850×400 |
| 9 | Axle load | 1280/1885 |
| 10 | Number of axes | 1730/2760 |
| 11 | Fuel consumption | 2 |
| 12 | Number of spring leaves | 6.5 |
| 13 | Number of tires | 3/3+2 |
| 14 | Front wheelbase/rear wheelbase | 6 |
| 15 | Steering Type | 1504/1425 |
| 16 | Minimum ground clearance mm: | steering wheel |
| 17 | Minimum turning radius m: | 35 |
| 18 | Fuel type: | 7.45 |
| 19 | Fuel tank volume (L): | diesel fuel |
| 20 | engine model | 70 |
| 21 | Way of working: | Isuzu |
| 22 | Exhaust volume ml: | L in-line, 4-cylinder, supercharged and intercooled, direct injection, high-pressure common rail, |
| 23 | Rated power kw(hp)/rpm: | 2499 |
| 24 | Maximum horsepower | 97/5050 |
| 25 | Emission Standards: | 120/1500-4500 |
| 26 | Drive mode | National VI |
| 26 | transmission: | Front-wheel drive |
| 28 | Top speed km/h: | 5 speed manual transmission |
| 29 | Tire specifications and models | 100 |
| 30 | Braking System | 7.00R16LT 8PR |
| 31 | Environmental protection standards | front drum, rear drum |
| 32 | Rated passenger capacity (including driver) | GB17691-2005 (National VI) |







Sichuan Fushunte Automobile Co., Ltd.



+8613568891631



609965408@qq.com



vehicle-automobile.com

No. 15, Wuxing 4th Road, Wuhou District, Chengdu City