₫

more products please

visit us on

vehicle-automobile.com





Tovota Coaster 7 Seater Coach Tour Bus Gasoline Rear Drive 4x2 Manual **Transmission**

Basic Information

. Place of Origin: • Brand Name: Fushunte

 Model Number: Toyota Coaster 7-seater tourist bus business

reception bus gasoline rear drive 4×2 manual transmission

• Minimum Order Quantity: 1 vehicle

• Price: \$100.000-\$110.000Dollar

 Packaging Details: Complete vehicle Delivery Time: 5-8 work days

T/T • Payment Terms:

1000 vehicle Supply Ability:



Product Specification

· Accessories: Curtains, Blinds, Fridge, Toilet

. Bathroom: Yes • Braking System: Air Brakes Cruise Control: Yes

12950,13600(Kg) Curb Weight:

Diesel Engine: 3.5-4 Meters Height:

Lightingsystem: Yes

Luggage: Large Luggage Compartment

 Luggage Storage: Underneath And Overhead Compartments

Restroom: Yes Total Mass: 18000(Kg) Transmission: Automatic Flat Screen TV Video:

Videosystem: Yes



More Images











Product Description

Toyota Coaster 7-Seater Tourist Bus Business Reception Bus Gasoline Rear Drive 4x2 Manual Transmission

Sure! Here's a segmented description of a tourist and business reception coach, organized clearly:

Vehicle Type and Purpose: A tourist and business reception coach is a specialized vehicle designed for accommodating and transporting business travel groups. It is custom-designed based on client requirements and provides a comfortable seating environment and convenient business facilities to meet the needs of business travel.

Interior Layout and Seating Configuration: The interior layout of a tourist and business reception coach emphasizes comfort and convenience. It is typically equipped with comfortable seats that offer ample legroom and adjustable features for enhanced passenger comfort. Additionally, the vehicle may include foldable tables, cup holders, entertainment systems, and charging outlets as business amenities.

Air Conditioning and Comfort: Tourist and business reception coaches are typically equipped with powerful air conditioning systems to ensure a comfortable interior temperature. They may feature individually controlled air conditioning zones to cater to different passenger preferences. The vehicle's interior may also be fitted with soundproofing materials to reduce noise and provide a quieter riding environment.

Communication and Connectivity Features: To meet business needs, tourist and business reception coaches are often equipped with communication and connectivity features. These may include wireless internet connectivity, Bluetooth connections, USB charging ports, and power outlets for electronic devices. Some vehicles may also have built-in displays or projectors to facilitate business presentations and meetings.

Safety and Comfort: Tourist and business reception coaches prioritize passenger safety and comfort. They typically come

equipped with safety belts, emergency exit signs, anti-lock braking systems, and stability control systems for active and passive safety. The vehicle's suspension system may utilize air suspension or shock absorbers to provide a smoother and more comfortable ride experience.

By providing the above segmented description, we can clearly understand the type and purpose of a tourist and business reception coach, its interior layout and seating configuration, air conditioning and comfort features, communication and connectivity functionalities, as well as safety and comfort aspects. These descriptions help us understand the business travel services offered by the coach and its provision of a comfortable and convenient seating environment and amenities for business teams.

Vehic	ele technical parameters	
1	Car body dimensions (length ×	7005×2040×2760
	width × height) mm:	
2	engine manufacturer	Toyota Motor Corporation
3	Wheelbase mm:	3935
4	Vehicle fully loaded total mass kg:	5540
5	Vehicle curb weight kg:	3740
6	suspension system	Front independent suspension, rear leaf spring non-independent suspension
7	Approach / departure angle	13.4/12.2
8	Front overhang/rear overhang	1165/1905
9	mm Axle load	2240/3300
9 10	Number of axes	2
11	Fuel consumption	15
12	Number of spring leaves	-/2
13	Number of tires	6
_	Front wheelbase/rear	-
14	wheelbase	1690/11505
15	Steering Type	steering wheel
16	Minimum ground clearance mm:	300
17	Minimum turning radius m:	9.45
18	Fuel type:	gasoline
19	Fuel tank volume (L):	80
20	engine model	9GR
21	Way of working:	V6, direct injection, naturally aspirated
22	Exhaust volume ml:	3956
23	Rated power kw(hp)/rpm:	151/3250
24	Maximum torque Nm/rpm:	325/1500-2500
25	Emission Standards:	National VI
26	Drive mode	Front-wheel drive
26	transmission:	5 speed manual transmission
28	Top speed km/h:	130
29	Tire specifications and models	215/70R17.5
30	Braking System	Front disc and rear drum
31	Environmental protection standards	GB14762-2008 National IV
32	Rated passenger capacity (including driver)	7 people
Main	vehicle configuration	
33	All-metal enclosed non-load-bea	aring body,
34	ABS8.0+EBD,	
35	manual rear view mirror	
36	black halogen headlights	
37	Folding center door/electric swing door	
38	front air conditioner	
39	central locking	
40	Leather seats	
41	The whole car is made of steel wheels, and the full-size steel spare tire	
42	Front electric doors and windows	
43	Driver's seat 6-way adjustment	
44	2 keys	
45	Original cab heating and cooling system	
46	Same color bumper	
47	Body white/gold/black	
48	high mount brake light	
49	Cab multifunctional storage box	
50	Full car seat belt	
51	Adjustable seat back	
٠.	Reversing radar	
52	Reversing radar	
	Reversing radar fire extinguisher	














FST Sichuan Fushunte Automobile Co., Ltd.

No. 15, Wuxing 4th Road, Wuhou District, Chengdu City